NOTES: 1. (M) - FAN MOTOR LOCATION 2. HEAVIEST SECTION IS UPPER SECTION 3. HEAVIEST SECTION IS UPPER SECTION 3. HEAVIEST SECTION IS UPPER SECTION 3. PPT IDENOTES FEMALE PIPE THREAD 3. PPT IDENOTES FEMALE PIPE THREAD 3. PPT IDENOTES SEVELED FOR WELDING 6. UP NOTES SEVELED FOR WELDING 6. UP NOTES SEVELED FOR WELDING 6. UP NOTES SEVELED FOR WELDING 7. ALPINT WEIGHT DOES NOT INCLIDE 4. HUNT WEIGHT DOES NOT INCLIDE 4. ALPINT WEIGHT DOES NOT INCLIDE 4. COCESSORIES (SEE ACCESSORY PRAWINGS) 5. MAKELIP WATER PRESSURE 2. OP INMIT STAND FOLDS 5. MAKELIP WATER PRESSURE 2. OP INMIT SEVEN	NIT CLOSED CIRCUIT COOLER	DWG. # WB3TM2406-DRC-ST	EV
1. (M) FAN MOTOR LOCATION 2. HEAVIERS SECTION IS UPPER SECTION 3. MPT DENOTES MEAN EPPER THREAD 3. MPT DENOTES GROOVED RY WELDING 4. MORE THREAD 4. MORE THREAD 5. MORE THREAD 5. MORE THREAD 6. "APPROXIMATE DIMENSIONS DO NOT USE 7. MORE THREAD 8.	ODEL # ATWB 10-3L24 SCALE NTS	EVAPCO, INC. EVEPCO SERIAL # DA	ATE 8/23/2025
1'-10 1/4" * (4) 4" [100] BFW FLUID IN FLUID OUT [4416]  (2) 2" [50] MPT MAKE-UP (1384)  2'-6 3/8" * [154] * [1584]  (4) 4" [100] BFW FLUID OUT [1884]  (5) 2" [50] MPT MAKE-UP (1384)  (6) 2 1/4" [1884]	1. (M)- FAN MOTOR LOCATION 2. HEAVIEST SECTION IS UPPER SECTION 3. MPT DENOTES MALE PIPE THREAD FPT DENOTES FEMALE PIPE THREAD BFW DENOTES BEVELED FOR WELDING GVD DENOTES GROOVED FLG DENOTES FLANGE PE DENOTES PLAIN END 4. +UNIT WEIGHT DOES NOT INCLUDE ACCESSORIES (SEE ACCESSORY DRAWINGS) 5. MAKE-UP WATER PRESSURE 20 psi MIN [137 kPa], 50 psi MAX [344 kPa] 6. *-APPROXIMATE DIMENSIONS DO NOT USE FOR PRE-FABRICATION OF CONNECTING PIPING 7. 3/4" [19mm] DIA. MOUNTING HOLES. REFER TO RECOMMENDED STEEL SUPPORT DRAWING. 8. DIMENSIONS LISTED AS FOLLOWS: ENGLISH FT-IN	FACE B PLAN VIEW  ACCESS DOOR  ACCESS DOOR  FACE B	<u>ACE D</u>
4 1/4" 11'-11 3/4" 5'-11 3/4" [ 3651 ] 2 1/2" [ 64]	1'-10 1/4" * (4) 4" [100] BFW (4) 4" [10	1'-3 1/4"  8'-3 5/8" [2532]  14'-5 7/8" [4416]  6'-2 1/4" [1884]  7  11'-11 3/4"  24'-2" [7366]	1'-5" [ 432]