OUL # LSWE 4-3/39-Z SOLE NTS NOTES: 1. (M) F ARROYSE MALE PIPE THREAD PRO DENOTES REPMALE PIPE THREAD BRV DENOTES RANCE GROVED 1. COLOR SOLE OF THREAD RECOMMENDED SEVELED FOR WELDING 4. APRIL WILLIAM TO DOES NOT INCLUDE ACCESSORIES (SEE ACCESSORY DRAWINGS) 4. APRIL WILLIAM TO DOES NOT INCLUDE ACCESSORIES (SEE ACCESSORY DRAWINGS) 7. HEAVEST SECTION IS COLOR SECTION 9. HEAVEST SECTION IS COLOR SECTION 9. HEAVEST SECTION IS COLOR SECTION 9. HEAVEST SECTION IS COLOR SECTION 1. SERIES FLOW PIPE SECTION IS COLOR SECTION 2. APRIL DID IN SERIES FLOW PIPE SECTION IS COLOR SECTION 1. SERIES FLOW PIPE SECTION IS COLOR SECTION 1. SERIES FLOW PIPE SECTION IS COLOR SECTION 2. APRIL DID IN SERIES FLOW PIPE SECTION IS COLOR SECTION 1. SERIES FLOW PIPE SECTION IS COLOR SECTION 2. APRIL DID IN SERIES FLOW PIPE SECTION IS COLOR SECTION 2. APRIL DID IN SERIES FLOW PIPE SECTION IS COLOR SECTION 2. APRIL DID IN SERIES FLOW PIPE SECTION IS COLOR SECTION IN SERIES FLOW PIPE SECTION IS COLOR SECTION IN SERIES FLOW PIPE SECTION IN SECTION IN SECTION IN	NIT	CLOSED CIRCUIT C	OOLER	EV/ADCO	TNG evapeo	DWG. # WLE0409	906-DRD-SF REV.
1. (M) FAM MOTOR LOCATION 2. MPT DENOTES REMALE PIPE THREAD 3. FACE C PPT DENOTES REMALE PIPE THREAD 3. FACE C PPT DENOTES REMALE PIPE THREAD 3. FACE C SEVELED FOR WILDING 3. FOR SEVELED FOR S	ODEL #	LSWE 4-3J9-Z	SCALE NTS	EVAPCO,	INC.	SERIAL #	DATE 7/12
1'-1/8" * [508] * (2) 4" [100] BFW PIPING (BY OTHERS) (2) 4" [100] BFW FLUID OUT (2) 4" [100] BFW FLUID OUT (2) ACCESS DOOR 1" [25] MPT AUX. CROSSOVER DRAIN (BY OTHERS) 2" [50] FPT OVERFLOW 3'-7 1/2" [178] * OVERFLOW 3'-7 1/2" [178] *	1. (M)- FA 2. MPT DI FPT DE BFW D GVD DI FLG DE PE DEN 3. +UNIT RECON 5. DIMEN 6. * - APP USE FC 7. HEAVIE 8. MAKE-I 20 psi [9. MAKE-I 10. SERIE	ENOTES MALE PIPE THRI ENOTES FEMALE PIPE THE ENOTES BEVELED FOR VE ENOTES GROOVED ENOTES FLANGE NOTES PLAIN END WEIGHT DOES NOT INCLE SORIES (SEE ACCESSOF Imm) DIA. MOUNTING HOI MMENDED STEEL SUPPO SIONS LISTED AS FOLLO ROXIMATE DIMENSIONS DR PRE-FABRICATION OF EST SECTION IS COIL SECUP WATER PRESSURE 137 KPa] MIN, 50 psi [344 FOUR PRESTION OF UN PRESTION OF UN PRONNECTION LOCATIC CONNECTION END OF UN ES FLOW PIPING AND AUX	HREAD WELDING JUDE RY DRAWINGS) LES. REFER TO RT DRAWING WS: ENGLISH FT IN [METRIC] [mm] DO NOT F CONNECTING PIPING CTION KPa] MAX ED 7-5/8" [194] NIT	FACE B		8'-11 1/4" [2724]	FACE D
1'-7 5/8"		(2) 4" [100] BFW FLUID IN SERIES FLOW PIPING (BY OTHERS) (2) 4" [100] BFW FLUID OUT (2) ACCESS DOOR 1" [25] MPT MAKE-UP 2'-2 1/8" [664] 1'-7 5/8" [498]	4'-3/4" [1238]	1'-7 1/2" * 3'-10" [1168] 2" [50] FPT OVERFLOW 3'-7 1/2" [178] * 3'-7 1/2" [1105] 1'-6 7/8" [479] 2" [50] MPT DRAIN 1'-3" [381]	AUX. CROSSOVER DRAIN (BY OTHERS) [22773] [356]	11 1/4" 2724]	