EVAPCO, INC. PMRC-774	CONDENSER	EVADOO TNO EV	CEWR121810-DRA-ST	-
FACE B FACE BARRISS AND PREMISES AND PREMISES FOR DEPORTS PRANCE FOR DEPORTS PRANCE	PMRC-774	EVAPCO, INC.	SERIAL # DATE:	8/10/2025
OVERSIZED ACCESS DOORS 2"[50] MPT DRAIN 1-8" [508] 3"3 1/4" [997] * 6'-6 1/8" [1984] 8'-6 3/8" [2600] 1'-8" [508] 1'-8" [508] 1'-8" [508]	. (M)- FAN MOTOR LOCATION MPT DENOTES MALE PIPE THREAD FPT DENOTES FEMALE PIPE THREAD BFW DENOTES BEVELED FOR WELDING GVD DENOTES GROOVED FLG DENOTES FLANGE PE DENOTES PLAIN END . +UNIT WEIGHT DOES NOT INCLUDE ACCESSORIES (SEE ACCESSORY DRAWINGS) 3/4" [19mm] DIA. MOUNTING HOLES. REFER TO RECOMMENDED STEEL SUPPORT DRAWING MAKE-UP WATER PRESSURE 20 psi [137 kPa] MIN, 50 psi [344 kPa] MAX DIMENSIONS LISTED AS FOLLOWS: ENGLISH FT-IN [METRIC] [mm] .* - APPROXIMATE DIMENSIONS DO NOT		<u>w</u>	FACE D
OVERSIZED ACCESS DOORS 2"[50] MPT 5 1/8" [130] MAKE UP 3"[80] MPT DRAIN 1'-8" [508] 3 7/8" [98] 15'-0 1/2" [4585] 8'-6 3/8" [2600] 11'-8" [508] 11'-8" [508]	[937] (2) 4" [100] PE	3'-3 1/4" [997] * 6'-6 1/8'		
3 7/8 [98]— OVERFLOW [OVERSIZED ACCESS DOORS 2"[50] MPT 5 1/8" [130] MAKE UP 3"[80] MPT DRAIN 2'-5"[737] 1'-8" [508]	15'-0 1/2" [4585] 9'-11" [3023] * 8'-6 3/8'	18'-0 1/8"	
11'-10 3/8"	5'-0 3/8" [1534]	0 3/8"16]	FACE A	