COOLING TOWER			T	EVAPCO, INC. Evapeo				DWG. # AX142417-D		A-ST	REV.
MODEL # A〉	(S 14-19K24	SCALE		EVAPCO	, III	IC.	3	SERIAL	₋ #		DATE 9/5/2025
2. HEAVIEST S 3. MPT DENOTE FPT DENOTE BFW DENOTE GVD DENOTE 4. +UNIT WEIG ACCESSORI 5. MAKE-UP W. 20 psi MIN [1 6. 3/4" DIA. MO RECOMMEN	TOR LOCATION ECTION IS UPPER SECTIO ES MALE PIPE THREAD ES FEMALE PIPE THREAD ES BEVELED FOR WELDIN ES GROOVED HT DOES NOT INCLUDE ES (SEE ACCESSORY DRA ATER PRESSURE 37 kPaj, 50 psi MAX [344 kP UNTING HOLES. REFER TO DED STEEL SUPPORT DRA S LISTED AS FOLLOWS: EN	ng Awings) Pa] O Awing.		FACE B PLAN VIEW	5'-11 5/8" 2124] 		FACE C ACCESS DOOR			(2) 1	ACE D LO" [250] ASME BOLT PATTERN ET
			7" [178	17			FACE A				
				9'-4 3/8" 2855]				<u> </u>		∕− 4" [1(OVER	00] FPT FLOW
				19'-4" [5893]						∕ 3" [8(MAKE	O] MPT -UP
			[9'-11 5/8" 3038]			ACCESS DOOR			∕4" [1(DRAI	00] FPT N
				<u> </u>	1 1 1 1						
	13'- [424 <u>FACE</u>	11 1/4" 8] E B		3/8" [10] 2'-5 3/4" _ [756] 1'-11 7/8" [606] 9 1, [241	/2"	14" [350	24'-9" [7544]		10'-3" [3124] 11'-1" [3378] 2'-4 1/2" 772]		
SHIPPING WEIGHT	21080 lbs+ [9565] kg-	+	OPERATING WEIGHT	47720 lbs+ [21650] kg	+	EAVIEST SECTION WEIGHT	11720 lbs+ [5320] kg+	- N	O. OF SHIPPING SECTIONS	2	DRAWN BY: AWT