UNIT CONDEN		₹		TNIC	evapeo	DWG. # WB3TM1806-DRC-ST		REV
MODEL #	eco-ATC-606A	SCALE NTS	<b>EVAPCO</b>	), INC.		SERIAL #		DATE 7/18/2025
2. HEAVI 3. MPT D FPT DI BFW L GVD D FLG D PE DE 4. +UNIT ACCES 5. MAKE- 20 psi 6. *-APPF FOR P PIPINC 7. 3/4" [1's	AN MOTOR LOCATION IEST SECTION IS UPPER S DENOTES MALE PIPE THRE ENOTES FEMALE PIPE THE DENOTES BEVELED FOR V DENOTES GROOVED ENOTES PLAINE NOTES PLAIN END WEIGHT DOES NOT INCLI SSORIES (SEE ACCESSOF- UP WATER PRESSURE MIN [137 kPa], 50 psi MAX [ ROXIMATE DIMENSIONS D PRE-FABRICATION OF CON G 9mm] DIA. MOUNTING HOL MMENDED STEEL SUPPOI ISIONS LISTED AS FOLLO ENGLISH FT-IN METRIC [mm]	EAD IREAD VELDING  UDE RY DRAWINGS)  [344 kPa] SO NOT USE INECTING  LES. REFER TO RT DRAWING.		FACE E	_	FACE C	ACCESS DOOR  = = = =	FACE D
<b>2'</b> [	2" [50] MPT (2) 4" [100] (2) 4" [100] (2) 4" [100] (3) 4" [100] (4) 4" [108] (5) 4" [108] (6) 4"	PE REFRIG OL	5'-21/4" 1'-5" [433]	1'-5.1	1'-3 1/4" [ 387 ]	18'-0" [ 5486]		
		FACE B				FACE A	<b>L</b>	
SHIPPING WEIGHT	21190 lbs+ [9	)615] kg+	OPERATING 30050 lbs+ [13635] kg	+ HEAVIEST SECT WEIGHT	TON 17540 lbs+ [7	960] kg+	SHIPPING SECTIONS 2	DRAWN BY: SLR