NOTES  NO							
NOTES 1. (I) AND MOTOR LOCATION 1. (I) AND MOTOR LOCATION 2. (I) AND MOTOR LOCATION 3. (I) AND MOTOR LOCATION 3. (I) AND MOTOR LOCATION 3. (I) AND MOTOR LOCATION 4. (I) AND MALE PIPE THREAD 6. (I) A	UNIT CONDENSER EVADOO TRIC EVO			DWG. # WB3122008-DRC-ST		-ST	REV.
1. (M. F.AM MOTOR LOCATION SUPPLY SECTION SECTION SECTION SECTION SERVING SECTION SECTION SERVING SECTION SECTION SERVING SECTION SERVING SECTION SECT	MODEL # eco-ATC-811A SCALE NTS	EVAPCO, II	NC.	SERL	AL #	С	OATE 7/8/2025
2.6 3/4" (2).4" [100] PE REFRIG IN REFRIG OUT (154) (152) (154) (152) (154) (152) (154) (152) (154) (152) (154) (152) (154) (1	1. (M)- FAN MOTOR LOCATION 2. HEAVIEST SECTION IS UPPER SECTION 3. MPT DENOTES MALE PIPE THREAD FPT DENOTES FEMALE PIPE THREAD BFW DENOTES BEVELED FOR WELDING GVD DENOTES GROOVED FLG DENOTES FLANGE PE DENOTES PLAIN END 4. +UNIT WEIGHT DOES NOT INCLUDE ACCESSORIES (SEE ACCESSORY DRAWINGS) 5. MAKE-UP WATER PRESSURE 20 psi MIN [137 kPa], 50 psi MAX [344 kPa] 6. *-APPROXIMATE DIMENSIONS DO NOT USE FOR PRE-FABRICATION OF CONNECTING PIPING 7. 3/4" [19mm] DIA. MOUNTING HOLES. REFER TO RECOMMENDED STEEL SUPPORT DRAWING. 8. DIMENSIONS LISTED AS FOLLOWS: ENGLISH FT-IN			Activities	CCESS DOOR	FACE D	
FACE B	2'' [50] MPT	3'-3/8" * [ 924] *  OUT					
SHIPPING WEIGHT         32160 lbs+ [14590] kg+         OPERATING WEIGHT         43650 lbs+ [19800] kg+         HEAVIEST SECTION WEIGHT         27650 lbs+ [12545] kg+         NO. OF SHIPPING SECTIONS WEIGHT         DRAWN BY: SLR	SHIPPING 32160 lbs+ [14590] kg+	PERATING 43650 lbs+ [19800] kg+	HEAVIEST SECTION 2	7650 lbs+ [12545] kg+	NO. OF SHIPPING SECTIONS	2 DRAV	VN BY: