UNIT CONDENSER		EVADOO T	NG EVENCO	DWG. # WB3122810-DRC-ST	REV.
eco-ATC-1288A	SCALE NTS	EVAPCO, I	NC. Grand	SERIAL #	DATE 8/21/2025
ET SECTION IS UPPER SEC NOTES MALE PIPE THREA NOTES FEMALE PIPE THREA NOTES BEVELED FOR WE NOTES GROOVED NOTES FLANGE DIES PLAIN END JEIGHT DOES NOT INCLUE ORIES (SEE ACCESSORY P WATER PRESSURE N [137 kPa], 50 psi MAX [34 DXIMATE DIMENSIONS DO E-FABRICATION OF CONNI	D EAD LDING DE DRAWINGS) 4 kPa] NOT USE ECTING S. REFER TO DRAWING.		ACCESS DOOR B.B. W	ACCESS DOOR	FACE D
(4) 4" [100] PE (4) 4" [100] PE (4) 4" [100] PE (5) 3" [80] MPT (7) 2" [2] 184] — [11'-10' [3607]	REFRIG IN REFRIG OUT O	3'-3/8" * 9'-8 5/8" [2964] 16'-10 7/8" [5153] 7'-2 1/4" [2189]	13'-11 3/4"	<u>E A</u>	1'-4 3/4" [425]
53220 lbs+ [2414	15] kg+	OPERATING 69660 lbs+ [31600] kg+	HEAVIEST SECTION 23550 lbs+ [10685] kg+	NO. OF SHIPPING SECTIONS 4	DRAWN BY: SLR
	eco-ATC-1288A I MOTOR LOCATION ST SECTION IS UPPER SECONT SECTION IS UPPER SECONT SECTION IS UPPER SECONT	eco-ATC-1288A SCALE NTS I MOTOR LOCATION ST SECTION IS UPPER SECTION NOTES MALE PIPE THREAD NOTES FEMALE PIPE THREAD NOTES FEMALE PIPE THREAD NOTES GROOVED NOTES PLAIN END VEIGHT DOES NOT INCLUDE SORIES (SEE ACCESSORY DRAWINGS) P WATER PRESSURE IN [137 kPa], 50 psi MAX [344 kPa] DXIMATE DIMENSIONS DO NOT USE E-FABRICATION OF CONNECTING IMMOUNTING HOLES. REFER TO MENDED STEEL SUPPORT DRAWING. IONS LISTED AS FOLLOWS: ENGLISH FT-IN METRIC [mm] IMMOTOR LOCATION ST SECTION NOTES FLANGE OTES FEMALE PIPE THREAD NOTES FEMALE NOTES FEMALE PIPE THREAD NOTES FEMALE PIPE THREAD NOTES FEMALE NOTES F	EVAPCO, I IMOTOR LOCATION ST SECTION IS UPPER SECTION NOTES MALE PIPE THREAD NOTES BY EIPE THREAD NOTES PLAIN END FIGHT DOES NOT INCLUDE SORIES (SEE ACCESSORY DRAWINGS) PWATER PRESSURE N (137 KPa), 50 psi MAX (34 kPa) NIMATE DIMENSIONS DO NOT USE E-FABRICATION OF CONNECTING Inm) DIA. MOUNTING HOLES. REFER TO MENDED STEEL SUPPORT DRAWING. IONS LISTED AS FOLLOWS: ENGLISH FT-IN METRIC (mm) FY 11-37 (3) 37 (80) MPT (2) 38 (80) MPT (2	EVAPCO, INC. EV	EVAPCO, INC. SCHALLS PER SCHOOL SCHO