NIT	COOLING TOW	ER	EVADOO TNI	c evapço	DWG. # T4284836-DRA-ST	REV.
ODEL #	AT 428-3N48	SCALE NTS	EVAPCO, IN		SERIAL #	DATE 9/11/2025
2. HEAV 3. MPT [FPT D BFW I GVD I FLG D PE DE 4. +UNIT ACCE 5. MAKE 20 psi 6. 3/4" [1 RECO 7. DIMEN [8. PAN F EVAP BY OT 9. PAN E	AN MOTOR LOCATION IEST SECTION IS UPPER S DENOTES MALE PIPE THR ENOTES FEMALE PIPE TH DENOTES BEVELED FOR N DENOTES GROOVED DENOTES PLAIN END 'WEIGHT DOES NOT INCL SSORIES (SEE ACCESSOI-UP WATER PRESSURE MIN [137 KPa], 50 psi MAX 9MM] DIA. MOUNTING HOI MENDED STEEL SUPPOR NSIONS LISTED AS FOLLO ENGLISH FT-IN METRIC] MM 'LUME BOX EQUALIZERS S CO. PAN EQUALIZER PIPIN THERS. "QUALIZER NIPPLE IS 11'-'EACH STEP SIDE.	EAD HREAD WELDING UDE RY DRAWINGS) [344 kPa] LES. REFER TO T DRAWING. WS: SUPPLIED BY NG IS SUPPLIED	FACE B PLAN VIEW		CE C (4) ACCESS DOOR	FACE D
			7" 11 = 1/4"	FA	CE A	
			[178] 1'-5 1/4" [438]			
2" [51] —		<u> </u>	10'-2 1/4" [3105] 	11'-10 1/2" (4) 14" [350] BFW/GVD INLET	00 00	
	Q// ₂ -	Į Ç	12'-3 3/4" [3753]			,
	(4) 14" [350] - / / / / / / / / / / / / / / / / / /	11'-6" [3505]	2'-2" [660] - 1'-5 3/8" [441]	9 1/8" [232] 1 3/8" 1 3/8"	(4) 12" [300] BFW/GVD EQUALIZER (SEE NOTE #9)	
	(4) 4" [100] MPT — DRAIN 5 1/8" — [130]	13'-5 1/2" [4102] 13'-6 1/2" [4128] 13'-11 1/4" [4248]	9" [229] 4" [102]	(TYP) 23'-9" [7239]	3'-7" [1092]	
	28'-3		1 1/2" —		1'-1" 5570] ———————————————————————————————————	1 1/2"
	FACI			<u>ra</u>	<u>CL A</u>	
SHIPPING WEIGHT	71600 lbs+ [32	OPERA WEI	ATING 135000 lbs+ [61235] kg+ HEA	WIEST SECTION 11860 lbs+ [5380] kg+	NO. OF SHIPPING SECTIONS 8	DRAWN BY: MER