ONIT CLOSED CIRCUIT COOLER		EVADOO TNO			evapco ®		/G. # EG171212-DRC-ST		REV.	
10DEL #	eco-ATWB 17-6K12	SCALE NTS		EVAPCO, I	NC.		SEF	IAL #		DATE 9/13/2025
2. HEAV 3. MPT I FPT L BFW GVD I FLG L PE DE 4. +UNIT ACCE 5. MAKE 20 psi 6. *-APP FOR I PIPIN 7. 3/4" [1 RECC 8. DIME	AN MOTOR LOCATION JEST SECTION IS UPPER THE DENOTES FEMALE PIPE THE DENOTES BEVELED FOR WOOD SECTION INCLUSION OF SECTION INCLUSION OF WATER PRESSURE MIN [137 KPa], 50 psi MAX [3 ROXIMATE DIMENSIONS DOPRE-FABRICATION OF CONIG 9MM] DIA. MOUNTING HOLE OF MIN [137 KPA] AS FOLLOW ENGLISH FT-IN METRIC [mm]	AD READ ELDING DE Y DRAWINGS) A44 kPa] D NOT USE NECTING ES. REFER TO T DRAWING.			2	FACE B PLAN VIEW	ACCESS I	FACE C ACCESS DOOR ACCESS DOO	FACE D	
	1'-9 3/8"		4'-3	2'-2 3/8" * [670]		1'-7/8" [327]	ļ	FACE A		
	1'-9 3/8" [543] (4) 4" [100] BFW 3'-6" [1067] * 1'-11 1/8" [587] 3" [76]	2'-10 1/4" [2445] 8'-1/4" [2470] 8'-5 1/2" [2578]	(2) 2" [MPT DR 5 1/8" [130]	[50] MPT [381] [50] MPT [381]	13'-10 1/4" [4223]	(4) 1/2" [15] FPT VENT				
	-		17'-4 1/8" [5286] FACE B			1'-6 1/4" [464]		11'-11 3/4" [3651] FACE A		
SHIPPING WEIGHT	37360 lbs+ [169		OPERATING WEIGHT	51600 lbs+ [23410] kg+	HEAVIEST SECT	ION 16810 lbs+ [7	625] kg+	NO. OF SHIPPING SECTIONS	4 DF	AWN BY: