AUT					DWO #	I DEV
NIT CONDENSER		EVAPCO, 1		/apco °	CEWR122010-DRA-ST	REV -
PMRC-949 SCALE N	-S	LVAPCO, 1			SERIAL #	DATE: 7/17/2025
NOTES:  1. (M)- FAN MOTOR LOCATION. 2. MPT DENOTES MALE PIPE THREAD FPT DENOTES FEMALE PIPE THREAD BFW DENOTES BEVELED FOR WELDING GVD DENOTES GROOVED FLG DENOTES FLANGE PE DENOTES PLAIN END 3. +UNIT WEIGHT DOES NOT INCLUDE ACCESSORIES (SEE ACCESSORY DRAWINGS). 4. 3/4" [19mm] DIA. MOUNTING HOLES. REFER TO RECOMMENDED STEEL SUPPORT DRAWING. 5. MAKE-UP WATER PRESSURE 20 psi [137 kPa] MIN, 50 psi [344 kPa] MAX. 6. DIMENSIONS LISTED AS FOLLOWS: ENGLISH FT-IN [METRIC] [mm] 7. * - APPROXIMATE DIMENSIONS DO NOT USE FOR PRE-FABRICATION OF CONNECTING PIPING.			FACE B PLAN VIEW		FACE A	FACE D
3'-0 7/8" * 5'-8 : [17]	43] O	3'-3 1/4" [997] *	6'-6 1/8" [1984]			
OVERSIZED ACCESS DOORS  2"[50] MPT 5 1/8" [130]  3"[80] MPT DRAIN  2'-5"[737]	O REFRIG OUT	15'-0 1/2" [4585] 9'-11" [3023] *	8'-6 3/8" [2600]			
1'-8" [508] - 4 3/4" [121] 3 7/8" [98] - 7'-4 3/8" [2245] - 11'-1 [36	16]	- 3"[80] MPT OVERFLOW	2'-3 1/4" [692]—		20'-0 1/4"	
SHIPPING 33690 lbs+ [15285] kg+	OPERATING WEIGHT	41760 lbs+ [18945] kg+	HEAVIEST SECTION WEIGHT	24120 lbs+ [10945] kg+		DRAWN BY: JLG