NIT	COOLING TOW		EVADOO TRIC EVALUED DWG. # T4284836-DRA-ST	REV.
ODEL #	AT 428-3P48	SCALE NTS	EVAPCO, INC. Evapco Serial #	DATE 9/11/2025
2. HÉAVI 3. MPT D FPT DI BFW D GVD D FLG DI PE DE 4. +UNIT ACCES 5. MAKE- 20 psi RECOI 7. DIMEN E [I] 8. PAN FI EVAPC BY OT 9. PAN E	AN MOTOR LOCATION EST SECTION IS UPPER: ENOTES MALE PIPE THE ENOTES FEMALE PIPE THE DENOTES BEVELED FOR VIENOTES GROOVED ENOTES PLAIN END WEIGHT DOES NOT INCLE SSORIES (SEE ACCESSO -UP WATER PRESSURE MIN [137 kPa], 50 psi MAX 9MM] DIA. MOUNTING HO MENDED STEEL SUPPOR ISIONS LISTED AS FOLLO ENGLISH FT-IN METRIC] MM LUME BOX EQUALIZERS (CO. PAN EQUALIZER PIPII HERS. QUALIZER NIPPLE IS 11'- ACH STEP SIDE.	READ HREAD WELDING LUDE BRY DRAWINGS) ([344 kPa] DLES. REFER TO RT DRAWING. DWS: SUPPLIED BY NG IS SUPPLIED	FACE B PLAN VIEW	FACE D
			7" 1'-5 1/4"	
	-		[178] 1'-5 1/4" [438]	-1
2" [51] - -			10'-2 1/4" [3105] - 2" [51] 18'-5 1/2" [5626] 11'-10 1/2" BFW/GVD INLET	<u></u>
	Q // ₉ -		12'-3 3/4" [3753]	
	(4) 14" [350] - / / / / / / / / / / / / / / / / / /	11'-6" [3505]	2'-2" [660] 1'-5 3/8" 9" [232] 1 3/8" [235]	
	(4) 4" [100] MP1 — DRAIN 5 1/8" — [130]	13'-6 1/2" [4128] 13'-11 1/4" [4248]	(TYP) 4" [102] 23'-9" [7239]	
		3 5/8"	1 1/2" 51'-1"]	1 1/2" [38]
	FAC		<u>FACE A</u>	
HIPPING		2845] kg+ OPERAT	TING 137080 lbs+ [62180] kg+	DRAWN BY: MER