COOLING TOWER			EVA	NDCO T	NC ev	apco	wg. # AX122217-DRA	-ST REV.
MODEL #	(S 12-19M22	SCALE	T EVA	APCO, I	NC.	S	ERIAL #	DATE 9/5/2025
2. HEAVIEST S 3. MPT DENOTE FPT DENOTE BFW DENOTE GVD DENOTE 4. +UNIT WEIG ACCESSORI 5. MAKE-UP W. 20 psi MIN [1 6. 3/4" DIA. MO RECOMMEN	TOR LOCATION ECTION IS UPPER SECT ES MALE PIPE THREAD ES FEMALE PIPE THREAD ES BEVELED FOR WELI ES GROOVED HT DOES NOT INCLUDE ES (SEE ACCESSORY D ATER PRESSURE 37 kPa], 50 psi MAX [344 UNTING HOLES. REFER DED STEEL SUPPORT D S LISTED AS FOLLOWS:	DDING RAWINGS)  kPa] TO DRAWING.		FACE B PLAN VIEW	5'-11" 1804 ] 	FACE C ACCESS DOOR		FACE D  (2) 8" [200] ASME 150 FLG PATTERN INLET
			7" [ 178 ]			FACE A		
			9'-4 3/8" [ 2855 ]	<b>4</b> "			·••	∕− 4" [100] FPT OVERFLOW
			9'-11 5/8"	<u>•</u>	<u> </u>	ACCESS DOOR		3" [80] MPT MAKE-UP 4" [100] FPT DRAIN
	ļ <u> </u>	11'-10" 3607 ] <b>FACE</b>	3/8" [ 10 ]	3 7/8"		[300] BFW/GVD OUTLET  22'-9" [6934]	9'-3" [ 2819 ] 10'-1" [ 3073 ] — 11'-4 1/2" [ 3467 ]	
SHIPPING WEIGHT	16650 lbs+ [7555] k	(g+	OPERATING WEIGHT 37590 lb	s+ [17055] kg+	HEAVIEST SECTION WEIGHT	9470 lbs+ [4300] kg+	NO. OF SHIPPING SECTIONS	2 DRAWN BY: JLM