COOLING TOWER			E\/A	DCO T	DWG. # AX122217-			-ST REV.
MODEL #	XS 12-19P22	SCALE] EVA	PCO, I	NC.	S	SERIAL #	DATE 9/5/2025
2. HEAVIEST S 3. MPT DENOT FPT DENOT BFW DENO GVD DENO 4. +UNIT WEIG ACCESSOR 5. MAKE-UP W 20 psi MIN [6. 3/4" DIA. MG RECOMMEN	OTOR LOCATION SECTION IS UPPER SECT TES MALE PIPE THREAD TES FEMALE PIPE THREAD TES BEVELED FOR WELI TES GROOVED GHT DOES NOT INCLUDE RIES (SEE ACCESSORY D VATER PRESSURE 137 kPa], 50 psi MAX [344 DUNTING HOLES. REFER NDED STEEL SUPPORT D IS LISTED AS FOLLOWS:	ND DING RAWINGS) kPa] TO DRAWING.		FACE B PLAN VIEW	5'-11" 1804] 	FACE C ACCESS DOOR		FACE D (2) 8" [200] ASME 150 FLG PATTERN INLET
			7" [178]			FACE A		
			9'-4 3/8" [2855]					— 4" [100] FPT OVERFLOW
			9'-11 5/8"	<u> </u>	•	ACCESS DOOR		3" [80] MPT MAKE-UP 4" [100] FPT DRAIN
		11'-10" 3607] FACE	3/8"	3 7/8"		[300] BFW/GVD OUTLET 22'-9" [6934]	9'-3" [2819] 10'-1" [3073] 11'-4 1/2"	
SHIPPING WEIGHT	17180 lbs+ [7795] ł	(g+	OPERATING WEIGHT 38120 lbs	+ [17295] kg+	HEAVIEST SECTION WEIGHT	10000 lbs+ [4540] kg+	NO. OF SHIPPING SECTIONS	2 DRAWN BY: JLM