COOLING TOWER				EVAPCO, INC. evapeo				DWG. # AX142417-D		A-ST	REV.
MODEL #	(S 14-19Q24	SCALE		EVAPCO	, II	VC.		SERIAL	#		DATE 12/8/2025
2. HEAVIEST S 3. MPT DENOTE FPT DENOTE BFW DENOTE GVD DENOTE 4. +UNIT WEIG ACCESSORI 5. MAKE-UP WA 20 psi MIN [1: 6. 3/4" DIA. MOIR RECOMMEN	TOR LOCATION ECTION IS UPPER SECTION ES MALE PIPE THREAD ES FEMALE PIPE THREAD ES BEVELED FOR WELDI ES GROOVED HT DOES NOT INCLUDE ES (SEE ACCESSORY DR. ATER PRESSURE 37 kPa], 50 psi MAX [344 kI UNTING HOLES. REFER T DED STEEL SUPPORT DR S LISTED AS FOLLOWS: E	NG AWINGS) Pa] O RAWING.		FACE B PLAN VIEW	6'-11 5/8" 2124] 9 5/8"		FACE C ACCESS DOO			(2) 1	ACE D LO" [250] ASME BOLT PATTERN ET
			7" [178	17			FACE A				
				9'-4 3/8" 2855]				<u> </u>		∕− 4" [1(OVER	00] FPT FLOW
				19'-4" [5893]						— 3" [8(MAKE	O] MPT -UP
			[9'-11 5/8" 3038]			ACCESS DOOR			—4" [10 DRAI	00] FPT N
				 	† † †						
	13' [422	-11 1/4" 18] <u>E B</u>		3/8" [10] 2'-5 3/4" _ [756] 1'-11 7/8" [606] 9 1 [241	/2" _ 3 7/8" _ 98]	14" [350] BFW/GVD		10'-3" [3124] 11'-1" [3378] 2'-4 1/2"		
SHIPPING WEIGHT	21880 lbs+ [9925] kg]+	OPERATING WEIGHT	48530 lbs+ [22015] kg	+	HEAVIEST SECTION WEIGHT	12520 lbs+ [5680] kg-	+	O. OF SHIPPING SECTIONS	2	DRAWN BY: AWT