UNIT CONDENSER			EV/AB	CO T	16 EV		DWG. # WB3	TM2410-DRC-ST	REV.
10DEL #	eco-ATC-901A	SCALE NTS	EVAP	CO, II	IC.		SERIAL #		DATE 8/19/2025
2. HEAVIES 3. MPT DEN FPT DEN BFW DEN GVD DEN PE DENC 4. +UNIT W ACCESS 5. MAKE-UF 20 psi MII 6. *-APPRO FOR PRE PIPING 7. 3/4" [19m RECOMM 8. DIMENSI	MOTOR LOCATION IT SECTION IS UPPER SE NOTES MALE PIPE THRE, OTES FEMALE PIPE THRE NOTES BEVELED FOR W NOTES GROOVED NOTES FLANGE DIES PLAIN END EIGHT DOES NOT INCLU ORIES (SEE ACCESSOR) WATER PRESSURE N [137 KPa], 50 psi MAX [3 XIMATE DIMENSIONS DOE FABRICATION OF CONIC. M] DIA. MOUNTING HOLE MENDED STEEL SUPPOR ONS LISTED AS FOLLOW ENGLISH FT-IN METRIC [mm]	AD READ ELDING DE Y DRAWINGS) A44 kPa] D NOT USE NECTING ES. REFER TO T DRAWING.		FACE B		ACCESS DOOR FAC		ACCESS DOOR	FACE D
(2) 2" [5 M/ 2'-1 1/4" [643]	5/8" — (2) 3" [80] MP DRAIN — 5 1/4" — [133] — 4 1/4" [108] — 5'-11 3/4" [1822]	REFRIG OUT O T 13/4" 991]	2'-6 3/8" * [7772] * 9'-8 5/8" [2964] 15'-10 7/8" [4848] 1'-5" [1884] 1'-5" [23" [80] MPT OVERFLOW	1'-5" [432]	31/4" 387]	11'-11 3/4" [3651]	2 1/2" [64]		1'-5" [432]
SHIPPING WEIGHT	39700 lbs+ [180	010] kg+	OPERATING 52040 lbs+ [2	23605] kg+	HEAVIEST SECTION WEIGHT	17300 lbs+ [7850] kg+	NO. OF SHIPPING	G SECTIONS 4	DRAWN BY: SLR